



## Pro 3 series Davit

**Pro 3 series Davit system made of aluminium with variable height and reach.**

### **Certification**

- EN 795:2013

### **Industry Type**

- Tactical
- Oil and Gas/Mining
- Chemical and Pharma
- Fire and Disaster Mgmt
- Government Departments
- Railways
- Metals and Cement
- Manufacturing
- Construction



## DESCRIPTION

The PRO-3 Series Hoist System is designed to provide an anchor structure for Personal Fall Arrest Systems (PFAS's), Confined Space Entry / Retrieval and rescue equipment. Provision is made for the mounting of various winches and SRL's to the structure on the rear of the vertical post. Other mounting options are possible using a variety of adaptor brackets available from Tuff Built Products. 1- and 2-piece Davits are available in a variety of heights to tailor a system to your specific application requirements. Upper mast refers to as upper portion of Davit which is available in various dimensions and fits to the lower mast to offer different height and reach. Lower mast of Pro 3 davit is the lower or middle portion of davit which fits into the base from one end and upper mast on the other end. available in two sizes which give different height and reach to the davit system

### Variants

PRODUCT CODE	COLOR	WEIGHT (gm)	MATERIAL	Safe working load	Height	Reach	Entry Size
20035 (model changes with different upper and lower mast selection)	Orange and Silver	depends of model selection	General Construction: Extruded 6061-T6 Aluminum Brackets / Connectors: Steel / Aluminum Pulleys & Rollers: Black Acetal Hardware: Grade 5	Grade 8 Zinc-Plated Finish (aluminum): Safety Orange powder coat Mill Finish (Steel): Safety Orange / Grey powder coat C + 343 Lacquer	2 people weighing not more than 141kg each.		

300104 (upper mast)	Orange and Silver	21lb (9.5kgs)	General Construction: Extruded 6061-T6 Aluminum	28 ft	54 ft	
NA	300105 (upper mast)	Orange and Silver	25lb (11.4kgs)	General Construction: Extruded 6061-T6 Aluminum	28 ft	66 ft
NA	300106 (upper mast)	Orange and Silver	31lb (14.1kgs)	General Construction: Extruded 6061-T6 Aluminum	28 ft	84 ft
NA	300107 (upper mast)	Orange and Silver	32lb (14.5kgs)	General Construction: Extruded 6061-T6 Aluminum	28 ft	108 ft
NA	300108 (lower mast)	Orange and Silver	12lb (5.4kgs)	General Construction: Extruded 6061-T6 Aluminum	40 ft	NA

NA	3001 09 (lower mast)	Orange and Silver	16lb(7.3kgs)	General Construction: Extruded 6061-T6 Aluminum	52 ft	NA
----	-------------------------------	-------------------------	--------------	---	-------	----